

## SPECIFICATION:





MEA-JOSAM 200C-SSE SERIES CHANNELS SHALL BE 39.4" (1000) LONG WITH 8" (203) INTERNAL WIDTH WITH RADIUS BOTTOM. INTERCONNECTING CHANNEL SECTIONS SHALL BE MADE OF SMC/GRP (SHEET MOLDING COMPOUND/GLASS REINFORCED POLYESTER) MATERIAL AND AVAILABLE WITH AND WITHOUT SLOPE. CHANNEL SUPPORT BRACKETS CAPABLE OF ACCEPTING RE-BAR, END OUTLETS, BOTTOM OUTLETS, ENDCAPS, AND CORNER/T CONNECTORS SHALL BE AVAILABLE. GRATE OPTIONS FOR LOADING CLASSES A-E WITH PRESSURE OR LOCKING BOLT SECURING DEVICES AND STAINLESS STEEL EDGES TO PROTECT CHANNEL EDGES.

## PRO-PLUS 8" INTERNAL WIDTH WITH STAINLESS STEEL EDGE

SERIES **200C-SSE**

PART NUMBER	DIM. "A"	DIM. "B"
200C	9.5	9.5
200C-01	10.8	11.0
200C-02	11.0	11.2
200C-03	11.2	11.4
200C-04	11.4	11.6
200C-05	11.6	11.8
200C-05N	11.8	11.8
200C-06	11.8	12.0
200C-07	12.0	12.2
200C-08	12.2	12.4
200C-09	12.4	12.6
200C-10	12.6	12.8

NOTE:  
DUCTILE IRON FRAME  
CANNOT BE USED WITH  
STAINLESS STEEL EDGE



Supplied By:

**TRENCHDRAIN  
SUPPLY**

877-903-7246

www.trenchdrainsupply.com

DATE OF LAST CHANGE: 03/02/15

DIMENSIONS ARE SUBJECT TO MANUFACTURERS  
TOLERANCES AND CHANGE WITHOUT NOTICE.  
WE CAN ASSUME NO RESPONSIBILITY FOR  
USE OF SUPERSEDED OR VOID DATA.

**JOSAM COMPANY**  
MICHIGAN CITY, INDIANA

NOTES