

Supplied By:


**TRENCHDRAIN
SUPPLY**

877-903-7246

www.trenchdrainsupply.com

EXPANSION AND/OR CONTROL JOINTS WITH QUANTITY AND LOCATION AS REQUIRED BY CHANNEL ENCAPSULATION CONCRETE. ALIGN ALL JOINT WITH END OF CHANNEL

ISOLATE CHANNEL ENCAPSULATION CONCRETE FROM ADJACENT SLAB USING STANDARD EXPANSION JOINT PRACTICE



EXPANSION AND/OR CONTROL JOINTS WITH QUANTITY AND LOCATION AS REQUIRED BY ADJACENT SLAB INDEPENDENT OF CHANNEL ENCAPSULATION CONCRETE JOINTS

CHANNEL ENCAPSULATION CONCRETE THICKNESS, STRENGTH, AND REINFORCEMENT AS DETERMINED BY STRUCTURAL ENGINEER AS SUITABLE FOR APPLICATION

REV	DESCRIPTION	BY	CHKD	DATE
-----	-------------	----	------	------

ABT[®] INC.
 P.O. BOX 837 / 259 MURDOCK ROAD
 TROUTMAN, NC 28166
 (704) 528-9806 (800) 438-6057
 www.abtdrains.com

INSTALLATION DETAIL © 2006 ABT, Inc.
**POLYDRAIN INSTALLATION DETAIL
 ISOLATED EXPANSION/CONTROL JOINTS**

FILE: **DET-PD-JOINTS-00** PART: **DET-PD-JOINT**

Proprietary rights of ABT, Inc. are included in the information disclosed herein. The recipient, by accepting this document, agrees that neither this document nor the information disclosed herein nor any part thereof shall be copied, reproduced or transferred to others for manufacturing or for any other purpose except as specifically authorized in writing by ABT, Inc.

DISCLAIMER: The customer and the customer's architects, engineers, consultants and other professionals are completely responsible for the selection, installation, and maintenance of any product purchased from ABT, and EXCEPT AS EXPRESSLY PROVIDED IN ABT'S STANDARD WARRANTIES, ABT MAKES NO WARRANTY, EXPRESS OR IMPLIED, AS TO THE SUITABILITY, DESIGN, MERCHANTABILITY, OR FITNESS OF THE PRODUCT FOR THE CUSTOMER'S APPLICATION. Copies of ABT's standard warranties are available upon request.